## In the Claims:

## 1-118. Canceled.

- 119. (Currently amended) An isolated <u>native sequence</u> polypeptide having at least 80% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 207;
- (b) the amino acid sequence of the polypeptide of SEQ ID NO: 207, lacking its associated signal peptide;
- (c)(d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209951, wherein the nucleic acid encoding said polypeptide is amplified in lung or colon tumor.
- 120. (Currently amended) The isolated <u>native sequence</u> polypeptide of Claim 39 having at least 85% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 207;
- (b) the amino acid sequence of the polypeptide of SEQ ID NO: 207, lacking its associated signal peptide;
- (c)(d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209951, wherein the nucleic acid encoding said polypeptide is amplified in lung or colon tumor.
- 121. (Currently amended) The isolated <u>native sequence</u> polypeptide of Claim 39 having at least 90% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 207;
- (b) the amino acid sequence of the polypeptide of SEQ ID NO: 207, lacking its associated signal peptide;
- (c)(d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209951, wherein the nucleic acid encoding said polypeptide is amplified in lung or colon tumor.

- 122. (Currently amended) The isolated <u>native sequence</u> polypeptide of Claim 39 having at least 95% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 207;
- (b) the amino acid sequence of the polypeptide of SEQ ID NO: 207, lacking its associated signal peptide;
- (c)(d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209951, wherein the nucleic acid encoding said polypeptide is amplified in lung or colon tumor.
- 123. (Currently amended) The isolated <u>native sequence</u> polypeptide of Claim 39 having at least 99% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 207;
- (b) the amino acid sequence of the polypeptide of SEQ ID NO: 207, lacking its associated signal peptide;
- (c)(d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209951, wherein the nucleic acid encoding said polypeptide is amplified in lung or colon tumor.
- 124. (Currently amended) An isolated polypeptide comprising:
- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 207;
- (b) the amino acid sequence of the polypeptide of SEQ ID NO: 207, lacking its associated signal peptide;
- (c)(d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209951; wherein the nucleic acid encoding said polypeptide is amplified in lung or colon tumor.
- 125. (Previously presented) The isolated polypeptide of Claim 124 comprising the amino acid sequence of the polypeptide of SEQ ID NO: 207.

- 126. (Previously presented) The isolated polypeptide of Claim 124 comprising the amino acid sequence of the polypeptide of SEQ ID NO: 207, lacking its associated signal peptide.
- 127-128. Canceled.
- 129. (Previously presented) The isolated polypeptide of Claim 124 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209951.
- 130. (Previously presented) A chimeric polypeptide comprising a polypeptide according to Claim 124 fused to a heterologous polypeptide.
- 131. (Previously presented) The chimeric polypeptide of Claim 130, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.